



Fiche Tungsram 93120814



LED COB STANDARD DEPOLIE E27 13W 827 1521LM

Réf 93120814

2.34€^{TTC*}

Voir le produit :

https://www.domomat.com/65962-led-cob-standard-depolie-e27-13w-827-1521lm-tungsram-93120814.html

Le produit LED COB STANDARD DEPOLIE E27 13W 827 1521LM est en vente chez Domomat!



^{* :} Prix sur le site Domomat.com au 19/11/2024. Le prix est susceptible d'être modifié.

TUNGSRAM

Innovation is our heritage EST. 1896





LED VALUE Snowcone LED VALUE A60 13.2W 827 E27 TU 93120814

Product information

Tungsram introduces its new range of 4 highly competitive LED GLS products available in 3 colour temperatures. Consuming only 4.9W and 8.8W, 9.6W and 13.2W they are a fantastic energy saving alternative to traditional GLS lamps with new, high quality aesthetics.

Application areas



Retail

Home



) Hospitality



LED VALUE Snowcone LED VALUE A60 13.2W 827 E27 TU 93120814

Product data

Product Code	93120814
Product description	LED VALUE A60 13.2W 827 E27 TU
Direct Shipment pair	93120790 - LED VALUE A60 13.2W 827 E27 TU DS
Bulb Diameter [mm]	60
Nominal Length [mm]	109
Net weight per piece [g]	39
Dimmability	No
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	180	
Color consistency (SDCM)	6	
Rated efficacy [lm/W]	115	
Energy efficiency class (EEC)	Е	
Rated life L70/B50 [h]	15000	
Input Frequency [Hz]	50/60	
Nominal correlated colour temperature (CCT) [K]] 2700		
Nominal lumens [lm]	1521	
Colour Rendering Index (CRI) [Ra]	80	


Electrical data


Nominal lamp power factor	0.7
Operating Temperature (MIN) [°C]	-10
Operating Temperature (MAX) [°C]	40
Starting time (sec)	0.5
Number of switching cycles	50000
Nominal lamp voltage range [V]	220-240
Nominal power [W]	13.2


Logistic data

Shipment	Standard
DUN Code	15994100092961
EAN Code	5994100092964
Pack Quantity	1/12
Product status	Available

Light distribution









LED VALUE Snowcone LED VALUE A60 13.2W 827 E27 TU 93120814

Downloads & Links

Go to the catalog site (HTTP)
Photometry (LDT)
Link to EPREL (HTTP)
Datasheet (PDF)
Images (HTTP)
Declaration of Conformity (PDF)