

Fiche - 93119398 - Tungsram




**Ampoule à fil LED Tungsram - E27 -
A60 - 10.5W**
Réf 93119398

3.12€^{TTC*}

Voir le produit :

<https://www.domomat.com/64121-ampoule-a-fil-led-tungsram-e27-a60-105w-tungsram-93119398.html>

*Le produit Ampoule à fil LED Tungsram - E27 - A60 - 10.5W
est en vente chez Domomat !*





LED Filament Dimmable GLS

LED Fil Dim A60 10.5W 927 E27 FR TU
93119398

Product information

Tungsräm proudly presents their market leading LED Filament Dimmable lightbulb. With its outstanding colour rendering index of 90 and less than 4 steps colour consistency, it literally brings colour to life. Gone are the days of struggling to identify colour under traditional lighting you can confidently step outside knowing the colour you are wearing is the colour you selected to wear LED filament boosts the clarity of colour. Offering a true retrofit solution and energy savings up to 90% (compared to traditional lightbulbs) and a modern design.

Product data

Product Code	93119398
Direct Shipment pair	93119414 - LED Fil Dim A60 10.5W 927 E27 FR TU DS
Bulb Finish	frosted
Bulb Diameter [mm]	60
Nominal Length [mm]	103
Net weight per piece [g]	37
RoHS compliant	Yes
Brand	Tungsrám
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	320°
Weighted energy consumption [kWh/1000h]	11.0
Rated efficacy [lm/W]	100
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	20000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	1055
Colour Rendering Index (CRI) [Ra]	90


Electrical data

Nominal lamp power factor...	0.7
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Starting time (sec)	<0.5
Warm up time up to 60% of full light output	<0.5
Number of switching cycles	30000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	10.5

Logistic data

Shipment	Standard
DUN Code	15994100079498
EAN Code	5994100079491
Pack Quantity	10
Product status	Available

Light distribution



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Link to EPREL \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[Declaration of Conformity \(PDF\)](#)

