



Fiche - 93115956 -Tungsram



Ampoule bulbe à fil LED Tungsram - E27 - G95 - 8.5W

Réf 93115956

3.96€^{TTC*}

Voir le produit :

https://www.domomat.com/64119-ampoule-bulbe-a-fil-led-tungsram-e27-g95-85w-tungsram-93115956.html

Le produit Ampoule bulbe à fil LED Tungsram - E27 - G95 - 8.5W est en vente chez Domomat!



^{* :} Prix sur le site Domomat.com au 20/11/2024. Le prix est susceptible d'être modifié.

TUNGSRAM

Innovation is our heritage EST. 1896





LED Filament - Globes LED Fil G95 8.5W 827 E27 CL TU 93115956

Product information

Tungsram introduces its high quality range of decorative shapes 100% made in glass with the LED Filament technology inside and directly inspired by the Traditional Incandescent lamps for which Tungsram holds a know how greater than 120 years.

Application areas



Retail



) Hospitality





LED Filament - Globes LED Fil G95 8.5W 827 E27 CL TU 93115956

Product data

Product Code	93115956
Bulb Shape	G95
Bulb Finish	Clear
Bulb maximum overall diameter [mm]	95
Nominal Length [mm]	138
Net weight per piece [g]	57
Dimmability	No
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	300
Rated Lumens [lm]	1055
Weighted energy consumption [kWh/1000h]	8.5
Rated efficacy [lm/W]	124
Energy efficiency class (EEC)	E
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	1055
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Warm up time up to 60% of full light output Number of switching cycles	Instant on 50000

Logistic data

Shipment	Standard
DUN Code	15994100047473
EAN Code	5994100047476
Pack Quantity	4
Product status	Available

Light distribution





LED Filament - Globes LED Fil G95 8.5W 827 E27 CL TU 93115956

Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Link to EPREL (HTTP)

Datasheet (PDF)

Images (HTTP)

DoC document (PDF)

Datasheet (FR) (PDF)

