

## Fiche - 93115950 - Tungsram



### LED FILAMENT STANDARD E27 DEPOLIE 10W 865 1350LM


Réf 93115950

**3.36€<sup>TTC\*</sup>**

Voir le produit :

<https://www.domomat.com/65908-led-filament-standard-e27-depolie-10w-865-1350lm-tungsram-93115950.html>

*Le produit LED FILAMENT STANDARD E27 DEPOLIE 10W 865 1350LM  
est en vente chez Domomat !*





## LED Filament - GLS A60

LED Fil A60 10W 865 E27 FR TU

93115950

### Product information

Tungsramp introduces its new range of LED Filament A60 lamps 100% made of glass available in 3 colour temperatures. Consuming only 4.5W, 7W, 8.5W and 10W they are a fantastic energy saving alternative to the Halogen GLS lamps with new, high quality aesthetics and in Clear and Frosted finishing

### Application areas



Retail



Hospitality



Home

## Product data

Product Code	93115950
Direct Shipment pair	93118111 - LED Fil A60 10W 865 E27 FR TU DS
Bulb Shape	A60
Bulb Finish	Frosted
Bulb maximum overall diameter [mm]	60
Nominal Length [mm]	104
Net weight per piece [g]	35
Dimmability	No
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

## Performance data

Nominal/ Rated Beam Angle [°]	300
Rated Lumens [lm]	1450
Weighted energy consumption [kWh/1000h]	10.0
Rated efficacy [lm/W]	145
Energy efficiency class (EEC)	D
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	1450
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor...	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50000
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	10

## Logistic data

Shipment	Standard
DUN Code	15994100047411
EAN Code	5994100047414
Pack Quantity	10
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Link to EPREL \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[DoC document \(PDF\)](#)

[Datasheet \(FR\) \(PDF\)](#)